

Sample shell blouse – personal pattern

Sample measurements · generated Oct 20, 2026 · A4 (210 × 297 mm)

Sample shell blouse · from Sample bodice block · Sample measurements · measured 2026-10-20.

Saved pattern geometry. Unsaved option edits are excluded.

SEAM ALLOWANCES INCLUDED: 1.5 cm on seams (including facing joins), 1 cm on necklines, armholes and sleeve caps, 2.5 cm hem. Solid outer line = cutting line; dashed line = stitching line. Nothing on fold edges or facing outer edges.

Printing



- Print at 100% / "Actual size". Turn OFF "Fit to page", "Shrink oversized pages" and any scaling. Paper: A4 (210 × 297 mm), portrait.
- Before printing everything, print this page and measure the calibration squares below. The 10 cm square must measure exactly 10 cm and the 2 in square exactly 2 in. If not, check your printer scaling and print again.
- The pattern is split into 4 row(s) × 4 column(s) of pages; 15 page(s) contain pattern lines. Page 2 is the assembly map.

Pieces

- BLOUSE – FRONT — Cut 1 on fold
- BLOUSE – BACK — Cut 2 (a mirrored pair)
- BLOUSE – SLEEVE — Cut 2 (a mirrored pair)
- BLOUSE – FRONT NECK FACING — Cut 1 on fold (+ interfacing)
- BLOUSE – BACK NECK FACING — Cut 2 (a mirrored pair, + interfacing)

Summary


Bust: body 92.0 cm + ease 10.0 cm (block 8.0 + design 2.0) = finished 102.0 cm.
Waist: body 74.0 cm + ease 7.0 cm (block 3.0 + design 4.0) = finished 81.0 cm.
Hip: body 98.0 cm + ease 6.0 cm (block – + design 6.0) = finished 104.0 cm.
Options: fitted waist, short sleeve 20 cm, cap ease 2.5 cm, neckline widened 1 cm, lowered 2 cm CF / 0.5 cm CB, hem 0 cm from hip line.
Measurements (cm): Bust 92, Waist 74, Hip 98, Neck base 37, Back waist length 41, Centre front waist length 35.5, Full back length 43, Full front length 45, Neck point to bust point 25, Bust span 18, Shoulder length 12.5, Shoulder drop 4.5, Across back 35, Across chest 33, Front bust arc 49, Front waist arc 38, Side length 21, Waist to hip 20, Upper arm 28.
Virtual fit is indicative only; make a toile to confirm fit in your fabric.




Measure with a ruler. Both squares must be exact.

Assembly map

- Lay the pages out in rows (letters) and columns (numbers) as shown. Grey pages contain no pattern lines and are not printed.
- On every page except those in column 1, cut away the left margin along the border line. On every page except those in row A, cut away the top margin.
- Lay each trimmed edge exactly on the border line of its neighbour so the half-diamonds meet as whole diamonds with matching labels, then tape.
- Cut along the solid outer line of each piece. Transfer notches, darts, grainlines and the bust point to the fabric.







5 cm

2 in

Print at 100% / actual size — no fit-to-page





A2|A3



A3|A4

A3/B3

5 cm

2 in

Print at 100% / actual size — no fit-to-page



PLACE ON FOLD

A1/B1

B1/C1

B1/B2

E

From

5 cm

2 in

Print at 100% / actual size — no fit-to-page

3LOUSE – FRONT

Cut 1 on fold

Sample shell blouse

h Sample bodice block · 2026-10-20

Seams: 1.5 cm allowance

Neckline: 1 cm allowance

Armhole: 1 cm allowance

Hem: 2.5 cm allowance

Fold edge: no allowance

A2/B2

B1|B2

B2|B3

B2/C2

A3/B3

BLOUSE – BACK

Cut 2 (a mirrored pair)

Sample shell blouse

From Sample bodice block · 2026-10-20

Seams: 1.5 cm allowance

Neckline: 1 cm allowance

Armhole: 1 cm allowance

Hem: 2.5 cm allowance

B2/B3


B3/B4



B3/C3


5 cm


2 in

Print at 100% / actual size — no fit-to-page









B3/C3

C2|C3

C3|C4

BLOUSE – FRONT NECK FACING

Cut 1 on fold (+ interfacing)

Sample shell blouse
Seams: 1.5 cm allowance
Neckline: 1 cm allowance

C3/D3

B4/C4

C3/C4

BLOUSE – BACK NECK FACING

Cut 2 (a mirrored pair, + interfacing)

Sample shell blouse


Seams: 1.5 cm allowance

Neckline: 1 cm allowance

Facing outer edge: no added allowance

C4/D4

FACING



BLO

Cu

From Sar
Se
Sle
H

C2/D2

HOUSE – SLEEVE

Pattern piece 2 (a mirrored pair)

Sample shell blouse

Sample bodice block · 2026-10-20

Seams: 1.5 cm allowance

Sleeve cap: 1 cm allowance

Wristband: 2.5 cm allowance

D1/D2

D2/D3

